

ACDelco

WIPERS

CATALOGUE: ISSUE 1.8



ACDELCO WIPERS CATALOGUE

Issue 1.8 Contents

PRODUCT INFORMATION

Details About ACDelco Wiper Range	2
Features & Benefits	3
Assemblies & Refills Specifications	4
Adapter Selection Guide	5

FITTING INSTRUCTIONS

Beam Blades	6
Colorado Twin Pack	7
Hybrid Blades	8
Traditional Wiper Assemblies	9
Twin Rail Refills	10
Hybrid Refills	11

WARRANTY

ACDelco Wipers Warranty	12
-------------------------	----

The ACDelco logo is displayed in a bold, italicized, white sans-serif font. It is positioned in the upper left corner of the page, which features a background image of a car's wiper arm and blade. The wiper arm is dark and metallic, with several bolts visible. The blade is a dark, curved rubber strip. The background is a deep blue with a subtle pattern of water droplets, suggesting rain. A thick red horizontal bar runs across the top of the page, partially obscured by the wiper arm and blade.

ACDelco

WIPERS

CATALOGUE: ISSUE 1.8

ABOUT ACDELCO WIPERS

BEAM BLADE WIPER ASSEMBLIES

Beam blades represent the latest generation in wiper technology, featuring a slimline aero dynamic design which assists in providing the high quality wipe demanded by the design efficiencies of today's vehicles.

Featuring:

- A symmetrical spoiler making it suitable for either left or right hand wiper operation
- Slimline high performance design
- Universal adaptors included to suit most common wiper arms

EXACT FIT HYBRID WIPER ASSEMBLIES

ACDelco EXACT FIT Hybrid replacement blades make it easy to restore your vehicle to original factory quality. Made from the quality natural rubber and high-strength steel, they offer long-lasting performance with OE fitment and design.

TRADITIONAL WIPER ASSEMBLIES

The ACDelco range of traditional Wiper Blade assemblies is designed as a direct OE replacement for vehicles fitted with this style of assembly. High quality corrosion resistant materials combined with premium natural rubber refills deliver an efficient wipe and long service life.

To provide you with the widest range of options, each blade includes a pre-installed adaptor to suit most makes and models.

WIPER REFILLS

Featuring:

- Traditional Wiper Assemblies - Twin Rail refills in 6mm & 8mm width.
- Modern Plastic Spoiler Blades - 8.5mm & 10mm wide Hybrid Refills.

All ACDelco Refills can be cut to length as required.



For your nearest ACDelco Automotive Parts Stockist
visit www.acdelco.co.nz or www.acdelco.com.au

ACDelco

The ACDelco logo is displayed in white, italicized, sans-serif font. A red horizontal line is positioned directly beneath the text.

ACDelco

WIPERS

CATALOGUE: ISSUE 1.8

ACDELCO WIPERS FEATURES & BENEFITS

There is an ACDelco Wiper Product for most makes and models on the road. Once you experience the quality, effectiveness and ease of installation, ACDelco will become your brand of choice for automotive wiper products. The ACDelco range includes modern Beam Blade wipers, Exact Fit Hybrid blades as well as traditional wiper blade assemblies and refills.

BEAM BLADE WIPER ASSEMBLIES

Features & Benefits:

- Advanced rubber technology providing longer life cycle
- Symmetrical spoiler reduces wind lift at high speed
- ACDelco Beam Blades can be used to update most vehicles fitted with traditional wiper assemblies
- Slim line beam design to suit modern vehicles
- Tested to meet EO specification and performance
- UV treated refills and housings
- Multi fit universal adaptors included for easy installation

HYBRID WIPER ASSEMBLIES

Features & Benefits:

- Tested to meet OE specification and performance
- Exact Fit for easy installation
- 100% UV treated rubber element
- All weather performance
- Tough UV treated plastic housing

TRADITIONAL WIPER ASSEMBLIES

Features & Benefits:

- Tested to meet EO specification and performance
- Galvanized steel frame, acrylic coated for anti corrosion.
- 100% UV treated rubber element
- Universal adapters to match most vehicle arm types for easy installation
- All weather performance



For your nearest ACDelco Automotive Parts Stockist
visit www.acdelco.co.nz or www.acdelco.com.au

The ACDelco logo is displayed in white, italicized, sans-serif font. A red horizontal line is positioned directly beneath the text.

ACDelco

The ACDelco logo is displayed in white, italicized, sans-serif font. The 'A' and 'C' are joined, as are the 'D' and 'e'. A red horizontal line is positioned directly beneath the text.

WIPERS

CATALOGUE: ISSUE 1.8

WIPER ASSEMBLIES & REFILLS SPECIFICATIONS

Part Number	Wiper Type	Length (mm)	Pack Qty	Refill Part Number
FS350AU	Multi Fit Beam Blade	350	1	
FS375AU	Multi Fit Beam Blade	375	1	
FS400AU	Multi Fit Beam Blade	400	1	
FS425AU	Multi Fit Beam Blade	425	1	
FS450AU	Multi Fit Beam Blade	450	1	
FS475AU	Multi Fit Beam Blade	475	1	
FS500AU	Multi Fit Beam Blade	500	1	
FS525AU	Multi Fit Beam Blade	525	1	
FS550AU	Multi Fit Beam Blade	550	1	
FS600AU	Multi Fit Beam Blade	600	1	
FS650AU	Multi Fit Beam Blade	650	1	
FS700AU	Multi Fit Beam Blade	700	1	
FS5545T	Colorado Exact Fit Pair Pack	550/450	2	
FS350H	Exact Fit Hybrid Blade	350	1	AURH8
FS400H	Exact Fit Hybrid Blade	400	1	AURH8
FS430H	Exact Fit Hybrid Blade	430	1	AURH8
FS450H	Exact Fit Hybrid Blade	450	1	AURH8
FS480H	Exact Fit Hybrid Blade	480	1	AURH8
FS500H	Exact Fit Hybrid Blade	500	1	AURH8
FS550H	Exact Fit Hybrid Blade	550	1	AURH8
FS600H	Exact Fit Hybrid Blade	600	1	AURH8
FS650H	Exact Fit Hybrid Blade	650	1	AURH8
FS700H	Exact Fit Hybrid Blade	700	1	AURH8
M305AU	Traditional Blade	305	1	AURT6
M325AU	Traditional Blade	325	1	AURT6
M350AU	Traditional Blade	350	1	AURT6
M380AU	Traditional Blade	380	1	AURT6
M400AU	Traditional Blade	400	1	AURT6
M450AU	Traditional Blade	450	1	AURT6
M475AU	Traditional Blade	475	1	AURT6
M500AU	Traditional Blade	500	1	AURT6
M525AU	Traditional Blade	525	1	AURT6
M550AU	Traditional Blade	550	1	AURT6
M600AU	Traditional Blade	600	1	AURT6
M650AU	Traditional Blade	650	1	AURT8L
M700AU	Traditional Blade	700	1	AURT8L
AURT6	Twin Rail Refills	6mm wide x 600	20pcs	
AURT8	Twin Rail Refills	8mm wide x 600	20pcs	
AURT8L	Twin Rail Refills	8mm wide x 700	10pcs	
AURH8	Hybrid Refills	8.5mm wide x 700	20pcs	
AURH350	Hybrid Refills	10mm wide x 350	1	
AURH400	Hybrid Refills	10mm wide x 400	1	
AURH425	Hybrid Refills	10mm wide x 425	1	
AURH450	Hybrid Refills	10mm wide x 450	1	
AURH560	Hybrid Refills	10mm wide x 560	1	
AURH610	Hybrid Refills	10mm wide x 610	1	
AURH650	Hybrid Refills	10mm wide x 650	1	

For your nearest ACDelco Automotive Parts Stockist
visit www.acdelco.co.nz or www.acdelco.com.au







The ACDelco logo is displayed in white, italicized, sans-serif font. The 'A' and 'C' are joined, as are the 'D' and 'e'. A red horizontal line is positioned directly beneath the text.

ACDelco

WIPERS

CATALOGUE: ISSUE 1.8

ACDELCO ADAPTER SELECTION GUIDE

Adapter Selection Guide		
Wiper Arm	Conventional Wiper	Beam Blade
9mm Hook 	 Pre-Installed on Blade	 + V1
7mm Bayonet 	 Pre-Installed on Blade	
Female Side Pin 	 + Pre-Installed on Blade	
Pin on Arm 	 Pre-Installed on Blade	
Side Pin Wide 		 + V3
Side Pin Narrow 		 Pre-Installed on Blade
Pinch Tab 		 Pre-Installed on Blade
Push Button Narrow 		 Pre-Installed on Blade
Push Button Wide 		 + V2


ACDelco

WIPERS

CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - BEAM BLADES


9MM HOOK




WIDE SIDE PIN




NARROW SIDE PIN




WIDE PUSH BUTTON




NARROW PUSH BUTTON




WINGED PINCH TAB



STRAIGHT PINCH TAB



REMOVE RUBBER GUARD BEFORE USE




ACDelco

WIPERS


CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - COLORADO (RG SERIES) TWIN PACK


This blade fits this arm.



COLORADO PUSH BUTTON ARM



STEP 1. Holding your thumb on the front of the adaptor, PUSH the back end of the adaptor into the open end of the wiper arm.



STEP 2. The button on the top of the adaptor must lock into the hole in the top of the arm.


ATTENTION: Before use, be sure the wiper blade is LOCKED onto the wiper arm and that the plastic protector is removed from the blade rubber prior to operation.

ACDelco

WIPERS

CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - HYBRID BLADE



STEP 1. Identify clip orientation for RHD application



STEP 2. Open latch and insert hook arm, pull back on blade to lock



STEP 3. Close latch to lock blade in place, check blade is secure

ACDelco


WIPERS

CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - TRADITIONAL WIPER ASSEMBLIES

9x3mm / 9x4mm J HOOK

1.




2.




SIDE PIN

1.




2.



FEMALE SIDE PIN

1.



2.




3.



7mm BAYONET

1.




ACDelco


WIPERS

CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - TWIN RAIL WIPER REFILLS



TAIL OF THE RUBBER




HEAD OF THE RUBBER




TO REMOVE

1.




Firmly grip the head of the rubber and pull

2.




Slide it all the way to the end and remove the old refill.

3.



Remove the rails from the new refill rubber and cut to the same length as the old ones.


4.



Cut new refill to the same length plus 5mm as the old refill - This allows for the rubber to relax once in use and minimises the chance of the steel rails protruding past the end of the rubber.


TO INSTALL

1.




Put the rails back into the new refill rubber and snap / cut off at correct length.

2.



Refit to wiper assembly - tail of the rubber first.

3.




Ensure the refill locks into wiper assembly via the rectangular hole in the head of the rubber.

ACDelco

WIPERS


CATALOGUE: ISSUE 1.8

FITTING INSTRUCTIONS - 8.5MM HYBRID WIPER REFILLS



1.


Remove the old refill. To do this, squeeze the blade refill and draw it out from the blade assembly.



3.

Now insert the new wiper refill into all the blade claws. Be sure that the refill is securely locked into the moulded recess and the end claw.


Warning: Failure to engage all claws under the refill rails may cause damage to the windscreen. Please check and make sure all claws are firmly locked in place under the refill rails.



2.

Remove the curved metal rails off the old refill and fit these onto the new refill blade.

Note: You must ensure the original metal rails are **RETAINED** and repositioned correctly before you install into the blade assembly. The metal rails are curved. They have offset lugs that insure the correct positioning in the refill/



4.

If the rubber is longer than the blade assembly, trim the refill down to a minimum of 10mm past the end of the curved metal rail strips.

The ACDelco logo is displayed in white, italicized, sans-serif font. The 'A' and 'C' are connected, as are the 'D' and 'e'. The 'l' is thin and the 'c' is lowercase. The background of the top half of the page is a close-up, high-contrast photograph of a car's wiper arm and blade, showing the rubber strip and metal frame against a blue sky.

WIPERS

CATALOGUE: ISSUE 1.8

ACDELCO WIPERS WARRANTY

WARRANTY

Our goods and services come with guarantees that cannot be excluded under the Australian Consumer Law. For major failures with the service, you are entitled: – to cancel your service contract with us; and – to a refund for the unused portion, or to compensation for its reduced value. You are also entitled to choose a refund or replacement for major failures with goods. If a failure with the goods or a service does not amount to a major failure, you are entitled to have the failure rectified in a reasonable time. If this is not done you are entitled to a refund for the goods and to cancel the contract for the service and obtain a refund of any unused portion. You are also entitled to be compensated for any other reasonably foreseeable loss or damage from a failure in the goods or service.

WARRANTY CONDITIONS

This warranty does not cover:

- Normal Wear & Tear
- Loss of time, inconveniences, loss of use or any other consequential damages.
- Labour for removal, and replacement of the unit, from the vehicle unless prior written approval has been obtained from ACDelco.
- Parts which have been subjected to deliberate abuse.
- Conditions resulting from abnormal wear, negligence, alterations or accidents.
- Incorrect fitment.
- Parts used in an incorrect application or parts that are not used for their intended purpose.

DISCLAIMER

Certain information in this catalogue has been compiled from data published by original equipment manufacturers and other parties. ACDelco is unable to warrant the accuracy of third party data, and does not accept responsibility for loss or damage of any kind caused as a result of such data being inaccurate.

COPYRIGHT STATEMENT

No part of this publication may be reproduced, stored in any retrieval system or transmitted in any form or by any means, including but not limited to electronic mechanical, photocopying, recording or otherwise, without the prior written permission of ACDelco. This includes all texts, illustrations, tables and charts.